

**DATA SHEET**

# **AIRFLOOR<sup>®</sup> AFR**

**Color:** Valid in all standard colors, see color range

**Design:** Ribbed (R)  
Dots 8 mm, asymmetrically arranged (DA8)  
Dots 19 mm, asymmetrically arranged (DA19)  
Dots 10 mm, symmetrically arranged (DS10)

**Dimension:** Width standard 950 mm (37,4 in)  
standard 1.500 mm (59 in)  
  
Length standard 5.000 mm (197 in)  
max. 6.500 mm (255,9 in)

***Smaller and shorter sheets are possible!***

**Thickness:** DA8 - 2,2 mm  
DA19 - 2,3 mm  
R - 2,5 mm

## **Important characteristics:**

**Weight:** 2.750 g/m<sup>2</sup>

## **Airfloor<sup>®</sup> AFR has been tested to the following requirements:**

**Airfloor<sup>®</sup> R and DA8 fulfill the AIRBUS High Quality Specification 2520M1F020200 and ABS5717.**

**Flammability:** FAR 25.853(a) App.F, Part I, para ( a ) ( 1 ) ( ii ),  
Amdt 91

**Toxic gases and smoke density:** Toxicity: ABD 0031; issue A, section 7.4;  
AITM 3.0005  
Smoke density: ABD 0031; issue A, section 7.3,  
AITM 2.007

**Static and Sliding Friction:** ISO 8295, DIN 53375, FAR/JAR25.793

**Impact:** AIRBUS Spec: 2520M1F020200, para 2.2

Prepared: Bormuth	Date of first Issue: 16.12.2003	Issue: Issue 9	Date: 20.11.2012	Changed / Date:: Möller/ 20.11.2012	Print Date: 26.03.13
----------------------	------------------------------------	-------------------	---------------------	--	-------------------------